

face

body

skin

intimate area
surgery

me
clinic

vaginal surgery

considering vaginal surgery?

We understand Vaginal Surgery is a sensitive issue.

It is unfortunate that many women feel uncomfortable to discuss such a sensitive topic and live with these symptoms and problems such as large or irregular labia, discomfort wearing pants, loose vaginal walls, pain during intercourse amongst others, as they are unaware of the options available to help them.

At me clinic we provide a discreet and private environment where you can discuss your problems openly with our trusted Surgeons who are understanding and compassionate.

what are the options?

Our Surgeons listen to your requirements and advise you on the leading options for you to achieve your desired results.

- Labioplasty
- Vaginoplasty
- Clitoral Hood Reduction
- Hymen Repair
- Vaginal Laser Resurfacing
- G Spot Enhancement

me clinic
the difference

Our 30 years of experience ensures you receive **personalised** service and the right advice.

We offer you choices as our Surgeons provide a **tailored solution** for your requirements.

Our Surgeons listen to you and your requirements in a discreet environment to help you decide which procedure is **right for you** after a full review and medical assessment.

labioplasty vaginoplasty

labioplasty / labiaplasty

It is not uncommon for women to worry about the shape or size of their labia. Some women are born with large or irregular labia while others experience some change after childbirth. It can result in discomfort and irritation when wearing tight clothing or playing sport or even discomfort during intercourse.

procedure & expectations

Labioplasty is a procedure that reduces the size or changes the shape of the small lips on the outside of the vagina (labia minora). It is a simple procedure designed to help women feel more confident about the way they look and feel.

The surgery involves small incisions which are made to remove excess tissue and reduced the size or shape of the small lips on the outside of the vagina (labia minora).

The clitoris is not affected by a labioplasty and there is no loss of sexual sensation, in fact, some women report an improvement in sensation and sexual function.

vaginoplasty

Many women experience loosening of their vaginal walls this is caused by lax muscles in the vaginal canal. This can be caused by childbirth, trauma, genetics or tissue stretching. A Vaginoplasty can restore and rejuvenate the vagina.

procedure & expectations

A Vaginoplasty procedure tightens the lax muscles and tissues in the front or back of the vaginal canal walls and if necessary remove any excess vaginal skin to narrow the diameter of the vagina. This results in a smaller and tighter opening and vaginal canal.

Women can also experience more satisfying sexual relations after this procedure.

clitoral hood reduction hymen repair

clitoral hood reduction

Many women complain of excess skin over their clitoral area which causes the area to be bulky and wrinkly and projects out from their clothes. Some women find that this excess skin can reduce sensitivity or cause painful sex.

procedure & expectations

The procedure involves the removal of this excess amount of skin in order to give a smoother and tighter yet functional clitoris and hood.

The clitoris is not operated upon, so there is no reduction in clitoral sensation during sex. Patients however, report that this procedure has increased their sensation during sex.

hymen repair

Women choose to have their hymen re-instated for social, cultural and religious reasons. Many women's hymens may have inadvertently broken through strenuous sporting and vigorous activity.

procedure & expectations

The aim of this procedure is to restore the virginal state of the vagina. This procedure involves stitching together the remnants of the hymen to recreate a new intact hymen.

During subsequent sexual intercourse the hymen is torn which results in bleeding.

recovery

With Vaginal Surgery it is recommended that you rest for up to seven to ten days. Vigorous activity should be avoided until reviewed by your surgeon, as should sexual intercourse for up to 45 days after your procedure.

You are able to combine multiple vaginal surgery procedures.

vaginal laser resurfacing g-spot enhancement

vaginal laser resurfacing

Some women are not happy with the skin tone and texture of their clitoral hood, labia and in the area between the vagina and anus. Vaginal Laser Resurfacing is a simple treatment to correct these concerns.

procedure & expectations

We treat these problem areas with our special lasers and radio frequency devices. This results in a resurfaced, smoother and often tighter skin in these problem areas.

g spot enhancement

The area on the front wall of the vagina just inside the opening of the vagina (at the bladder neck) is a highly erogenous area. We are able to enlarge that area with a dermal or volumising filler, which enhances sexual stimulation by making that area more amenable to pressure during sex.

how does it work?

The G Spot enhancement is a simple and quick procedure. It is performed under local anaesthetic and involves injecting a volumising filler into strategic areas of the vaginal wall to enlarge this area, therefore assisting to increase stimulation during sexual intercourse.

recovery

With Vaginal Enhancement and Resurfacing there is minimal downtime and discomfort.

You are able to combine multiple vaginal surgery procedures with your treatment.

me
clinic

it's all about **you.**

with over 30 years of
cosmetic surgery experience,
we can help you look your best.

*"At **me clinic** we provide a trusted,
discreet and private environment
to talk about your concerns."*

Dr Ashley



cosmetic surgery
face | body | skin



4 Burke Rd, Malvern East
Victoria 3145
toll free: 1300 852 050
tel: 03 9569 3511

www.meclinic.com